

# Liquid Achieve™ SC

Better value control of grass weeds in barley and wheat.

## HERBICIDE

### WHY USE LIQUID ACHIEVE™ SC HERBICIDE?

- Effective control of wild oats, persian darnel, barnyard grass and green/yellow foxtail in wheat and barley.
- Wide window of application.
- Trusted crop safety.
- Multiple pack sizes: 80 acre cases or 480 acre drums.

<b>GRASS WEEDS CONTROLLED</b>	• Wild oats	• Persian darnel	• Barnyard grass
	• Green foxtail	• Volunteer oats	• Yellow foxtail

### CARRIER® ADJUVANT REQUIRED AT 0.5% V/V:

Carrier adjuvant technology now available for use with Liquid Achieve™ SC herbicide.

	4,542 Litre Tank (1,200 US Gallon Tank)	3,785 Litre Tank (1,000 US Gallon Tank)	3,028 Litre Tank (800 US Gallon Tank)
0.5% v/v	22.71 L of Carrier required (0.005 x 4,542 L) 3 jugs	18.93 L of Carrier required (0.005 x 3,785 L) 2.5 jugs	15.14 L of Carrier required (0.005 x 3,028 L) 2 jugs

### LIQUID ACHIEVE SC AND CARRIER RATE CHARTS:

Water volume		Liquid Achieve SC Rate 200 ml/ac 8 L jug or 96 L drum		Carrier Rate 0.5% v/v 8 L jug
		40 ac/jug	480 ac/drum	
<b>4,542 Litre Tank (1,200 US Gallon Tank)</b>				
5 US gal/ac	240 acres	6 jugs	0.50 drum	3 jugs
10 US gal/ac	120 acres	3 jugs	0.25 drum	3 jugs
<b>3,785 Litre Tank (1,000 US Gallon Tank)</b>				
5 US gal/ac	200 acres	5 jugs	0.42 drum	2.5 jugs
10 US gal/ac	100 acres	2.5 jugs	0.21 drum	2.5 jugs
<b>3,028 Litre Tank (800 US Gallon Tank)</b>				
5 US gal/ac	160 acres	4 jugs	0.33 drum	2 jugs
10 US gal/ac	80 acres	2 jugs	0.17 drum	2 jugs

Intake™ Adjuvant can be used at 0.66% v/v if Carrier Adjuvant is not available. Liquid Achieve SC requires the addition of ammonia (Finish) with all

EC broadleaf tank-mixes at 0.25% v/v + Carrier adjuvant at 0.5% v/v if bicarbonates > 400 ppm, add AMS to the tank first at 1% v/v.

## APPLICATION GUIDELINES

<b>CROPS</b> Barley Durum wheat Fall rye Spring rye Spring wheat Triticale Winter wheat  <i>Cereal crops underseeded to legume forages:</i>  Alfalfa Bird's foot trefoil Clover Sainfoin	<b>PACKAGING</b> Case: 2 x 8 L jugs Pallet: 5 x 96 L drums
	<b>RATES</b> 200 ml/ac
	<b>ACRES TREATED</b> • 40 ac/jug • 480 ac/drum
	<b>WATER VOLUME</b> • Ground: 20-40 L/ac (5-10 US gal/ac) • Aerial: 12-18 L/ac (3-5 gal/ac)
	<b>TIMING</b> <b>Crop stage:</b> 2-leaf to just prior to flag leaf emergence <b>Weed stage:</b> Wild oats 1 to 6-leaf; other grasses 1 to 4-leaf
	<b>RAINFAST</b> 1 hour
	<b>TANK MIX HERBICIDES</b> • Attain™ XC • Buctril® M • Curtail® M • Infinity® • Infinity FX • Lontrel™ • MCPA Ester 600 • Mextrol® • OcTTain™ XL • Pardner™ • Pixxaro™ • Prestige™ XL • Prominex™ • Thumper® • Trophy® • 2,4-D Ester 700



DOWNLOAD THE 2023 FIELD GUIDE APP FOR PRODUCT SPECIFIC TANK MIX INSTRUCTIONS.

### CROP ROTATION

Seed to all major crops the year following application.

### GRAZING AND HARVEST

Allow 16 days after application before cutting hay or harvesting forage.

Mature crops may be harvested 60 days after application.

AVAILABLE IN BULK